

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

Public Services – Irrigation & C.A.D. Department – Allegation against Sri M. Rajaiah, Deputy Executive Engineer, Monitoring Sub Division, Vinukonda, Guntur District – Departmental action initiated under rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Further action dropped – Orders – Issued.

=====

IRRIGATION & COMMAND AREA DEVELOPMENT (VIGILANCE - I) DEPARTMENT

**G.O.Rt.No.481**

**Dated: 20.08.2014**

**Read the following:-**

- 1) G.O.Rt.No.173, Irrigation & CAD(Ser.IV-2) Department, dated 19.02.2013
- 2) From the Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad, letter No.RC/ENC/S1 (3)/1086/2013, dated 21.05.2013.
- 3) Govt.Memo.No.22/Ser-IV/A2/2013-1, dated 29.06.2013
- 4) Proceeding. No.RC/ENC/S1(3)/1086/2013, dated 19.07.2013, of the Engineer-in-Chief (A.W.), Irrigation & CAD Department, Hyderabad
- 5) From the Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad, letter No.RC/ENC/S1(3)/1086/2013, dated 09.05.2014

\*\*\*\*\*

**ORDER:-**

In the G.O. 1<sup>st</sup> read above, disciplinary proceedings have been initiated against Sri M. Rajaiah, Deputy Executive Engineer, Monitoring Sub Division, Vinukonda by issuing articles of charges for the alleged irregularities in water regulation in Nagarjuna Sagar Project.

2. In the reference 2<sup>nd</sup> read above, the Engineer-in-Chief (AW), I&CAD Department, Hyderabad has furnished the written statement of defence submitted by Sri M. Rajaiah, Deputy Executive Engineer.

3. In the reference 3<sup>rd</sup> read above, the Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad has been directed to conduct a detailed inquiry by appointing an Inquiry Officer & Presenting Officer under Rule 20 of Andhra Pradesh Civil Services (Classification Control & Appeal) Rules, 1991.

4. The Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad in his Proceedings 4<sup>th</sup> read above has issued orders, appointing Sri A. Sudhakar, Superintending Engineer, Construction Circle, Ongole and Sri R. Laxman, Executive Engineer, NSJC Monitoring Division, Lingamguntla, as Inquiring Authority and Presenting Officer respectively. The Enquiry Officer has conducted Enquiry and submitted his enquiry report stating that the charge framed against the charged officer is held not proved.

5. Government after careful examination of the matter have decided to accept the findings of the Inquiring Authority and to drop further action against Sri M. Rajaiah, Deputy Executive Engineer, Monitoring Sub Division, Vinukonda, Guntur District, as the charge framed against him is held not proved. Accordingly, Government hereby order to drop further action against Sri M. Rajaiah, Deputy Executive Engineer.

(P.T.O)

**:2:**

6. The Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad shall take further necessary action in the matter accordingly and acknowledge the receipt of this order.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**ADITYA NATH DAS  
PRINCIPAL SECRETARY TO GOVERNMENT (P)**

To

Sri M. Rajaiah, Deputy Executive Engineer, through the Engineer-in-Chief (AW),  
Irrigation & C.A.D. Department, Hyderabad

The Engineer-in-Chief (A.W.), Irrigation & C.A.D. Department, Hyderabad

Copy to:-

The Accountant General (A & E), Andhra Pradesh, Hyderabad.

SF/SC

**//FORWARDED::BY ORDER//**

**SECTION OFFICER**